



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

to be plague, although every precaution had been taken, as is always the case when there is any suspicion. The lay press has recently reported that it is officially announced in Russia that 2 cases of plague have occurred recently in that country; 1 of them at least was in Odessa.

The outbreak of smallpox in London does not abate; in fact, it seems rather to increase, and for the last three days there are reported to have occurred 20, 11, and 35 new cases, respectively. As would naturally be expected, cases are beginning to occur in the neighboring towns, but as yet to no great extent.

The health of the United Kingdom is otherwise about as usual.

Respectfully,

A. R. THOMAS,

Passed Assistant Surgeon, U. S. M. H. S.

The SURGEON-GENERAL,

U. S. Marine-Hospital Service.

GERMANY.

Mortality of Berlin from 1896 to 1900.

BERLIN, GERMANY, November 7, 1901.

SIR: I have the honor to acknowledge receipt of unnumbered special instructions dated October 26, requesting me to advise the Department for the information of the U. S. Marine-Hospital Service of the death rate of Berlin for the year 1900, and the four years preceding, and in compliance therewith I have to report as follows:

During the ten years from 1886 to 1895, inclusive, the average death rate per 1,000 inhabitants in the city of Berlin was 21.3. The death rate of 1896 was 19.0. The death rate of 1897 was 18.6. The death rate of 1898 was 17.7. The death rate of 1899 was 19.7. The death rate of 1900 was 18.7.

The foregoing rate for 1900 is estimated from the most authentic statistics which are thus far accessible. The final official vital record of each successive year is not published until December of the year following the one to which it relates.

In this connection it may be of interest to add that the average death rate per 1,000 of the German Empire was 31 in 1871, 26.9 in 1881, 24.7 in 1891, and 22.7 in 1899 (the last year for which complete statistics are available), thus showing a gradual, but steady decline under the continued influences of enhanced general prosperity, better and more varied nutrition, higher standards of sanitation in the construction and care of dwellings and factories, and the general advance of prophylactic, medical, and sanitary science in this country.

Respectfully,

FRANK H. MASON,

United States Consul-General.

Hon. ASSISTANT SECRETARY OF STATE.

Report from Berlin—The open-air treatment of consumption.

BERLIN, GERMANY, November 18, 1901.

SIR: I have the honor to transmit herewith a synopsized translation of a report by Dr. Englemann of the imperial health office at Berlin, entitled "The success of the open-air treatment of consumption."

Respectfully,

FRANK H. MASON,

United States Consul-General.

The SURGEON-GENERAL,

U. S. Marine-Hospital Service.